



# SAFETY DATA SHEET

**ALLKLEEN**

Infosafe No.: LQ66C  
Issued Date: 24/06/2016  
Issued by: JASOL AUSTRALIA

**CLASSIFIED AS HAZARDOUS**

## 1. IDENTIFICATION

---

**GHS Product Identifier**

ALLKLEEN

**Product Code**

2055130

**Company Name**

JASOL AUSTRALIA

**Address**

41-45 TARNARD DRIVE BRAESIDE  
VIC 3195 Australia

**Telephone/Fax Number**

Tel: 03 95805722

Fax: 03 95809902

**Emergency phone number**

1800 629953

**Recommended use of the chemical and restrictions on use**

As a heavy duty all purpose cleaner/degreaser in kitchens and garages. Suitable for walls, tiles, benches, stainless steel, glass, floors, exhaust fans, filters, cool rooms, grease and oil on mechanical parts. Dilution rates vary with soiling but typically: 1:10 for heavy soiling, i.e. steam/pressure cleaners, degreasing etc. 1:60 for normal soiling i.e. kitchen and janitorial cleaning, painted surfaces etc. Rinse food surfaces with clean water.

**Other Information**

Jasol (a division of George Weston Foods Limited) believes the information in this document to be accurate as at the date of preparation noted in the header of the SDS, but to the maximum extent permitted by law, Jasol accepts no responsibility for any loss or damage caused by any person acting or refraining from action because of this information.

The provision of this information should not be construed by anyone as a recommendation to use this product. In particular, no one should use any product in violation of any patent or other intellectual proprietary rights or in breach of any statute or regulation.

Users should rely on their own knowledge and inquiries and make their own determination as to the applicability of this information in relation to their particular purposes and specific circumstances. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace and in conjunction with other substances or products.

## 2. HAZARD IDENTIFICATION

---

**GHS classification of the substance/mixture**

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Corrosive to Metals: Category 1  
Eye Damage/Irritation: Category 1  
Sensitization - Respiratory: Category 1  
Sensitization - Skin: Category 1  
Skin Corrosion/Irritation: Category 1

**Signal Word (s)**

DANGER

**Hazard Statement (s)**

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Pictogram (s)**

Corrosion, Health hazard



**Precautionary statement – Prevention**

P234 Keep only in original container.  
P285 In case of inadequate ventilation wear respiratory protection.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 Wash contaminated skin thoroughly after handling  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statement – Response**

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.  
P363 Wash contaminated clothing before reuse.  
P390 Absorb spillage to prevent material damage.

**Precautionary statement – Storage**

P405 Store locked up.  
P406 Store in corrosive resistant/ container with a resistant inner liner.

**Precautionary statement – Disposal**

P501 Dispose of contents/container to an approved waste disposal plant.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

#### Ingredients

Name	CAS	Proportion
Alkylbenzene Sulphonic Acid	68584-22-5	0-10 %
Diethylene glycol monobutyl ether	112-34-5	0-10 %
Sodium hydroxide	1310-73-2	0-5 %
Sodium Metasilicate, Pentahydrate	10213-79-3	0-5 %
Nitrilotriacetic acid, trisodium salt	5064-31-3	0-5 %
Sodium xylenesulphonate	1300-72-7	0-5 %
Ingredients determined not to be hazardous		Balance

### 4. FIRST-AID MEASURES

---

#### Inhalation

If inhaled, remove affected person from contaminated area and keep at rest in a position comfortable for breathing. Apply artificial respiration if NOT breathing and immediately seek medical attention. If experiencing respiratory symptoms call a POISON CENTER or doctor/physician for medical attention.

#### Ingestion

Do NOT induce vomiting. Wash/rinse out mouth thoroughly with water. Seek immediate medical attention.

#### Skin

If on skin (or hair) remove/take off all contaminated clothing immediately. Wash/rinse skin gently and thoroughly with water/shower and non-abrasive soap for 15 minutes after handling. Contaminated work clothing should not be allowed out of the workplace. Ensure contaminated clothing is washed before re-use or discard. Seek immediate medical attention. If skin irritation or rash occurs please advise medical physician.

#### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses, if present and easy to do. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

#### First Aid Facilities

Eyewash, safety shower and normal washroom facilities.

#### Advice to Doctor

Vomiting has not been induced because of risk of aspiration into the lungs. Treat symptomatically.

#### Most important symptoms/effects, acute and delayed

No adverse health effects expected if the product is handled in accordance with this MSDS and the product label.

#### Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

### 5. FIRE-FIGHTING MEASURES

---

#### Suitable Extinguishing Media

Carbon dioxide, dry chemical, foam, water fog or water mist.

#### Unsuitable Extinguishing Media

Do not use water jet.

#### Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including water vapour, carbon dioxide and oxides of nitrogen and phosphorous. Incomplete combustion may generate carbon monoxide.

### Specific Hazards Arising From The Chemical

This product is non combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn.

### Hazchem Code

2R

### Decomposition Temperature

Not available

### Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

## 6. ACCIDENTAL RELEASE MEASURES

---

### Emergency Procedures

Evacuate all unprotected personnel. As a water based product, if spilt on electrical equipment the product will cause short-circuits. Do not allow contact with skin and eyes. Do not breathe mist/vapour. It is essential to wear self-contained breathing apparatus (S.C.B.A) and full personal protective equipment and clothing to prevent exposure. Avoid exposure to spillage by collecting the material using vacuum and transfer into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## 7. HANDLING AND STORAGE

---

### Precautions for Safe Handling

Corrosive liquid. Attacks skin and eyes. Causes burns. Avoid breathing in vapours, mist or fumes. Wear suitable protective clothing, gloves and eye/face protection when mixing and using. Use in designated areas with adequate ventilation. Keep containers tightly closed. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands after handling, and before eating, drinking, smoking or using the toilet facilities.

### Conditions for safe storage, including any incompatibilities

Corrosive liquid. Store in a cool dry well-ventilated area. Protect from freezing. Store away from oxidising agents and bases/acids. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Provide a catch-tank in a bunded area. Store in original packages as approved by manufacturer. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS 3780 The storage and handling of corrosive substances.

### Corrosiveness

May be corrosive to metals.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Occupational exposure limit values

Sodium hydroxide

TWA: 2 mg/m<sup>3</sup> (Peak)

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Peak Limitation: A ceiling concentration which should not be exceeded over a measurement period which should be as short as possible but not exceeding 15 minutes.

### Biological Limit Values

No biological limits allocated.

### Appropriate Engineering Controls

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn.

### **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

### **Eye Protection**

Safety glasses with full face shield should be used. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

### **Hand Protection**

Wear gloves of impervious material such as rubber or plastic. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

### **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

---

### **Form**

Liquid

### **Appearance**

Red, mobile, frothing liquid. Miscible with water in all proportions.

### **Colour**

Red.

### **Odour**

Faint detergent

### **Decomposition Temperature**

Not available

### **Melting Point**

Not available

### **Boiling Point**

About 100°C

### **Solubility in Water**

Soluble in water in all proportions.

### **Specific Gravity**

1.09

### **pH**

13.1-13.8

### **Vapour Pressure**

Not available.

### **Vapour Density (Air=1)**

Not available

### **Evaporation Rate**

Not available

### **Odour Threshold**

Not available

### **Viscosity**

Not available

### **Partition Coefficient: n-octanol/water**

Not available

**Flash Point**

Not available

**Flammability**

Non combustible

**Auto-Ignition Temperature**

Not available

**Flammable Limits - Lower**

Not available

**Flammable Limits - Upper**

Not available

## 10. STABILITY AND REACTIVITY

---

**Reactivity**

Reacts with incompatible materials

**Chemical Stability**

Stable under normal conditions of storage and handling.

**Conditions to Avoid**

Extremes of temperature and direct sunlight

**Incompatible materials**

Not available.

**Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes

**Possibility of hazardous reactions**

Not available.

**Hazardous Polymerization**

Not available.

## 11. TOXICOLOGICAL INFORMATION

---

**Toxicology Information**

No toxicity data available for this material.

**Ingestion**

Ingestion of this product will cause nausea, vomiting, abdominal pain and chemical burns to the mouth, throat and stomach.

**Inhalation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Inhalation of mist or vapour will result in respiratory irritation and possible harmful corrosive effects including burns, lesions of the nasal septum, pulmonary edema, and scarring of tissue.

**Skin**

Causes burns. May cause an allergic skin reaction. Corrosive to the skin. Skin contact can cause redness, itching, irritation, severe pain and chemical burns with resultant tissue destruction.

**Eye**

Causes eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible burns, necrosis, permanent damage and blindness.

**Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Skin Sensitisation**

May cause an allergic skin reaction

**Germ cell mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard.

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

---

**12. ECOLOGICAL INFORMATION**

---

**Ecotoxicity**

No ecological data available for this material.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Other Adverse Effects**

Not available

**Environmental Protection**

Prevent large amounts from entering waterways, drains and sewers.

---

**13. DISPOSAL CONSIDERATIONS**

---

**Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

---

**14. TRANSPORT INFORMATION**

---

**Transport Information**

This material is classified as a Class 8 Corrosive Substances Dangerous Goods

Class 8 Dangerous Goods are incompatible in a placard load with any of the following:

- Class 1: Explosives
  - Division 4.3: Dangerous when wet Substances
  - Division 5.1: Oxidising substances
  - Division 5.2: Organic peroxides
  - Class 6, Toxic or Infectious Substances, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids
  - Class 7: Radioactive materials unless specifically exempted
- and are incompatible with food and food packaging in any quantity.

Strong acids must not be loaded in the same freight container or on the same vehicle with strong alkalis. Packing Group I and II acids and alkalis should be considered as strong.

Marine Transport (IMO/IMDG):

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Class/Division: 8

UN No: 1719

Proper Shipping Name: CORROSIVE SOLID, N.O.S. (CONTAINS: CAUSTIC ALKALI LIQUID)

Packing Group: III

EMS : F-A, S-B

Special Provisions: 223 274

Air Transport (ICAO/IATA):

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Class/Division: 8

UN No: 1719

Proper Shipping Name: corrosive solid, n.o.s. (Contains: caustic alkali liquid)

Packing Group: III

Packaging Instructions (passenger & cargo): 852

Packaging Instructions (cargo only): 856

Hazard Label: Corrosive

Special Provisions: A3, A803

**U.N. Number**

1719

**UN proper shipping name**

CAUSTIC ALKALI LIQUID, N.O.S.(Contains: Sodium hydroxide & Benzenesulfonic acid)

**Transport hazard class(es)**

8

**Packing Group**

III

**Hazchem Code**

2R

**Special Precautions for User**

Not available

**IERG Number**

37

**IMDG Marine pollutant**

No

**Transport in Bulk**

Not available

## 15. REGULATORY INFORMATION

---

**Regulatory information**

Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia

Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

**Poisons Schedule**

S5

## 16. OTHER INFORMATION

---

**Date of preparation or last revision of SDS**

SDS created: June 2016

**References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals.

**Contact Person/Point**

The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries.

24-Hour Emergency Telephone: AUS: 1800 629 953 NZ: Poisons 0800 764 766,

**END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.