

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Textliner Ink 22/4815 ORANGE

Revision date: 21.12.2022

Product code: 100-008-687

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Textliner Ink 22/4815 ORANGE

Further trade names

article number 100-008-687; 100-084-987; 100-084-986

Included in Textliner 154315, 154615, 54675, 154815, 156815, 250615 and Textliner Refill 154915

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Ink in writing instrument

1.3. Details of the supplier of the safety data sheet

Company name:	A.W. Faber- Castell Vertrieb GmbH
	Deutschland
Street:	Nürnberger Str. 2
Place:	D-90546 Stein
Telephone:	0049-911-9965-0
Contact person:	Dr. Gerhard Lugert
e-mail:	Gerhard.Lugert@faber-castell.de
Internet:	https://www.faber-castell.de/
Responsible Department:	Faber- Castell AG, D-90546 Stein
	Dr. Gerhard Lugert, 0049-911-9965 5550, privat: 0049-911-61 64 26
	Wolfgang Schwarz, 0049-911-9965 5878
	Slovakia +421 2 5477 4166

1.4. Emergency telephone number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008 (CLP)

Hazard components for labelling

Reaction Product of Benzenesulfonic Acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic Acid, 4-methyl-and sodium hydroxide

Basic Yellow 40 (methyl sulphate)

2-methylisothiazol-3(2H)-one

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

Signal word: Danger

Pictograms:



Hazard statements

May cause an allergic skin reaction.

Causes serious eye damage.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Textliner Ink 22/4815 ORANGE

Revision date: 21.12.2022

Product code: 100-008-687

Page 2 of 11

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
IF ON SKIN: Wash with plenty of Water and soap.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Water-based ink with dyes, preservatives and additives.

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008 (CLP))			
	Reaction Product of Benzenesulfonic Acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic Acid, 4-methyl-and sodium hydroxide			1 - < 5 %
	932-051-8		01-2119565112-48	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412			
111-46-6	2,2'-oxybisethanol; diethylene glycol			1 - < 5 %
	203-872-2	603-140-00-6		
	Acute Tox. 4; H302			
35869-60-4	Basic Yellow 40 (methyl sulphate)			< 1 %
	252-770-4			
	Eye Dam. 1, Skin Sens. 1; H318 H317			
77-99-6	Trimethylolpropan			< 1 %
	201-074-9		01-2119486799-10	
	Repr. 2; H361fd			
2682-20-4	2-methylisothiazol-3(2H)-one			< 0.1 %
	220-239-6	613-326-00-9	01-2120764690-50	
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400			
52-51-7	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol			< 0.1 %
	200-143-0	603-085-00-8	01-2119980938-15	
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, STOT SE 3, Aquatic Acute 1; H312 H302 H315 H318 H335 H400			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Textliner Ink 22/4815 ORANGE

Revision date: 21.12.2022

Product code: 100-008-687

Page 3 of 11

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
111-46-6	203-872-2	2,2'-oxybisethanol; diethylene glycol	1 - < 5 %
		dermal: LD50 = 11890 mg/kg; oral: ATE = 500 mg/kg	
35869-60-4	252-770-4	Basic Yellow 40 (methyl sulphate)	< 1 %
		oral: LD50 = > 4000 mg/kg	
2682-20-4	220-239-6	2-methylisothiazol-3(2H)-one	< 0.1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.1 %
		oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0,05 - 100	
52-51-7	200-143-0	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	< 0.1 %
		dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg Aquatic Acute 1; H400: M=10	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose off safely.
If victim is at risk of losing consciousness, position and transport on their side.
Turn a vomiting person to the side.

After inhalation

Provide fresh air.
Call a physician if symptoms develop or persist.

After contact with skin

Wash immediately with soap and plenty of water.
Use appropriate skin protective cream afterwards.
In case of prolonged skin irritation consult a physician.

After contact with eyes

Rinse with eyelid held open for several minutes with running water. Medical treatment necessary.

After ingestion

Drink large amounts of water and fresh air.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

If packaging or plastic boxes are burning:
Carbon dioxide (CO₂). Extinguishing powder. Water spray.
large fire: Water spray.

Unsuitable extinguishing media

For this substance / preparation no extinguishing agent restriction exist.

5.2. Special hazards arising from the substance or mixture

No specific hazards known.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Textliner Ink 22/4815 ORANGE

Revision date: 21.12.2022

Product code: 100-008-687

Page 4 of 11

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Safety glasses. Gloves.
Keep away unguarded persons.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Bind with absorbent material. Dispose of waste according to applicable legislation.

6.4. Reference to other sections

Information for safe handling, see section 7.
Information for personal protective equipment, see section 8.
Information for disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.
Handle and open container with care.
Secure an adequate ventilation.

Advice on protection against fire and explosion

No special measures necessary.

Advice on general occupational hygiene

The chemicals in dealing with the usual precautions must be observed. Wash hands before breaks and after work.

Further information on handling

No special measures necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Ink: Protect from freezing.
Recommended storage temperature: 5 - 35 °C

Hints on joint storage

Do not mix with Alkali.

Further information on storage conditions

Do not mix with acids.

7.3. Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Textliner Ink 22/4815 ORANGE

Revision date: 21.12.2022

Product code: 100-008-687

Page 5 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
111-46-6	2,2'-Oxydiethanol	23	101		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
	Reaction Product of Benzenesulfonic Acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic Acid, 4-methyl-and sodium hydroxide			
	Worker DNEL, long-term	dermal	systemic	85 mg/kg bw/day
	Worker DNEL, long-term	inhalation	systemic	6 mg/m ³
	Consumer DNEL, long-term	oral	systemic	0,425 mg/kg bw/day
	Consumer DNEL, long-term	dermal	systemic	42,5 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	1,5 mg/m ³

PNEC values

CAS No	Substance	Value
	Reaction Product of Benzenesulfonic Acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic Acid, 4-methyl-and sodium hydroxide	
	Freshwater	0,268 mg/kg
	Freshwater (intermittent releases)	0,055 mg/l
	Marine water	0,0268 mg/l
	Freshwater sediment	8,1 mg/kg
	Marine sediment	8,1 mg/kg
	Micro-organisms in sewage treatment plants (STP)	5,6 mg/l
	Soil	35 mg/kg

Additional advice on limit values

Refer to chapter 7. No further action is necessary.

8.2. Exposure controls

Appropriate engineering controls

No special measures are necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses.

Hand protection

Wear suitable gloves.

Skin protection

For normal use not necessary.

Respiratory protection

For normal use not necessary.

Environmental exposure controls

Do not allow the product to enter the drains.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Textliner Ink 22/4815 ORANGE

Revision date: 21.12.2022

Product code: 100-008-687

Page 6 of 11

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	orange
Odour:	slightly
Melting point/freezing point:	ca. 0 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability	
Solid/liquid:	not applicable
Gas:	not applicable
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Flash point:	> 100 °C
Auto-ignition temperature:	not applicable
Decomposition temperature:	not applicable
pH-Value:	3,2
Viscosity / kinematic:	No data available.
Water solubility:	complete miscible
Solubility in other solvents	
Soluble in: Acetone, Ethanol	
Partition coefficient n-octanol/water:	No data available.
Vapour pressure:	< 22 hPa
(at 20 °C)	
Vapour pressure:	No data available.
Density (at 20 °C):	1 g/cm ³
Bulk density:	No data available.
Relative vapour density:	No data available.
Particle characteristics:	No data available.

9.2. Other information

Information with regard to physical hazard classes

Explosive properties	
not Explosive.	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Oxidizing properties	
Non-oxidizing.	

Other safety characteristics

Evaporation rate:	No data available.
Solvent separation test:	No data available.
Solvent content:	5,74 %
Solid content:	12,62 %
Sublimation point:	No data available.
Softening point:	No data available.
Pour point:	No data available.
:	No data available.
Viscosity / dynamic:	2,1 - 2,2 mPa·s
(at 20 °C)	
Flow time:	No data available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Textliner Ink 22/4815 ORANGE

Revision date: 21.12.2022

Product code: 100-008-687

Page 7 of 11

Further Information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

not proof against Strong acid and strong alkalis

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Do not mix with acids. Hazardous reactions: none known

10.5. Incompatible materials

Lye and acid.

10.6. Hazardous decomposition products

none known

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 (CLP)

ATEmix calculated

ATE (oral) 28735,6 mg/kg

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Textliner Ink 22/4815 ORANGE

Revision date: 21.12.2022

Product code: 100-008-687

Page 8 of 11

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-46-6	2,2'-oxybisethanol; diethylene glycol				
	oral	ATE 500 mg/kg			
	dermal	LD50 11890 mg/kg	Kaninchen		
35869-60-4	Basic Yellow 40 (methyl sulphate)				
	oral	LD50 > 4000 mg/kg	Ratte		
2682-20-4	2-methylisothiazol-3(2H)-one				
	oral	ATE 100 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	oral	ATE 500 mg/kg			
52-51-7	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			

Irritation and corrosivity

Irritant effect on the eye: Slight irritation by basic pH.

Irritant effect on the skin: none known

Specific effects in experiment on an animal

The product was not tested on animals. The toxicological data were adopted by products of similar composition.

11.2. Information on other hazards

Endocrine disrupting properties

No data available.

Further information

The product reinduces no harmful effects by our experience and the information available to us, while properly handling and normal usage.

SECTION 12: Ecological information

12.1. Toxicity

No toxicity.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
111-46-6	2,2'-oxybisethanol; diethylene glycol					
	Acute fish toxicity	LC50 > 32000 mg/l	96 h	Gambusia affinis		

12.2. Persistence and degradability

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Textliner Ink 22/4815 ORANGE

Revision date: 21.12.2022

Product code: 100-008-687

Page 9 of 11

No data available.

12.3. Bioaccumulative potential

No data available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-46-6	2,2'-oxybisethanol; diethylene glycol	-1,98 (25°C)

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

No data available.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to official state regulations and local regulations.

German Waste Catalogue - Waste code: 080103

Disposal identification: Water-based colours

Water-based inks

Contaminated packaging

Clean with water.

Contaminated packaging must be completely emptied and can be re-cycled following appropriate cleaning.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Textliner Ink 22/4815 ORANGE

Revision date: 21.12.2022

Product code: 100-008-687

Page 10 of 11

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special measures are necessary.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2010/75/EU (VOC): 0,44 % (4,4 g/l)

2004/42/EC (VOC): 6,06 % (60,6 g/l)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

EC: European Community

CAS: Chemical Abstracts

TRGS: Technische Regeln für Gefahrstoffe

LD: letal Dose

DIN: Deutsches Institut für Normung

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe

A.W.: Anton Wolfgang

HZVA: Production, Blending, Sale and Application. Abbreviation of the European waste register.

VOC: Volatile Organic Compounds

EN: Europäische Norm

GHS: Globally Harmonized System

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 (CLP)

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

Toxic if swallowed.

Harmful if swallowed.

Toxic in contact with skin.

Harmful in contact with skin.

Causes severe skin burns and eye damage.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

Fatal if inhaled.

May cause respiratory irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Textliner Ink 22/4815 ORANGE

Revision date: 21.12.2022

Product code: 100-008-687

Page 11 of 11

Suspected of damaging fertility. Suspected of damaging the unborn child.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

Corrosive to the respiratory tract.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)