

Safety Data Sheet

MSDS No : TN182GA09

Date of issue : 2022/03/23

Revision History : 1

1. PRODUCT AND COMPANY IDENTIFICATION

Manufacturer : FUJIFILM Business Innovation Corp.
Address : 7-3, Akasaka 9-choume, Minato-ku, Tokyo 107-0052, Japan
Contact Point : Environment & Product Safety Product Quality
 [Department] Management Customer Satisfaction Quality Assurance
 Group
 [Telephone Number] +81-46-237-1686
 [FAX Number] +81-46-238-5796
 [E-mail] dge-fb-msds-admin@fujifilm.com
Supplier : FUJIFILM Business Innovation Australia Pty Ltd
Address : 8 Khartoum Road, Macquarie Park, NSW 2113 Australia
Contact Point : [Telephone Number] 1800 028 962 option 1 (24hrs)
 [Responsible Person] Product Manager
 [E-mail] shm-fbau-websupport@fujifilm.com

Trade name : DocuPrint CP405d, DocuPrint CM405df
 Toner (Cyan)

2. HAZARD IDENTIFICATION

GHS classification

Not classified as hazardous mixture of GHS classification.

Not classified as hazardous according to Worksafe Australia.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Distinction of substance or mixture : Mixture

Chemical Nature :

Chemical Name	Ingredients (% by wt.)	CAS Number
Polyester	70 - 90%	Undisclosed
Blue pigment	< 10%	147-14-8
Paraffin Wax	< 10%	8002-74-2
Amorphous silica	< 10%	7631-86-9
Titanium dioxide	< 1%	13463-67-7

This product does not contain Lead, Mercury, Cadmium, Hexavalent Chromium, Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) or Diisobutyl phthalate (DIBP) intentionally.

4.FIRST-AID MEASURES

Eye contact	:	Flush with a large amount of water for at least 15 minutes. Seek medical advice.
Skin contact	:	Wash with soap and water.
Inhalation	:	Remove from exposure and provide fresh air. Rinse mouth with water.
Ingestion	:	Rinse mouth with water. Give several glasses of water to drink and seek medical advice.

5.FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	:	Water spray, Foam, Dry chemicals. When in a machine, treat as an electrical fire.
Unsuitable Extinguishing Media	:	No Information.

6.ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid inhalation. If you spill a large volume of toner, contact your local our representative for special handling.
Environmental precautions	:	Prevent from entering into soil, waterways and ground water.
Methods and materials for containment and cleaning up	:	Get rid of fire sources. Use a broom or a wet cloth to wipe off spilled toner. (It may catch fire by electric sparks inside the vacuum cleaner and cause explosion.)

7.HANDLING AND STORAGE

Handling		
Technical measures	:	None required when used as intended in our equipment.
Local and total ventilation	:	None required when used as intended in our equipment.
Notice	:	Do not incinerate toner or a toner cartridge. Do not disassemble a cartridge.
Safe handling advice	:	Do not incinerate toner or a toner cartridge. Do not disassemble a cartridge.
Storage		
Technical measures	:	None
Conditions for safe storage	:	Keep in cool, dry and well-ventilated area. Keep out of reach of children.
Packaging compatibilities	:	Keep in our designated packaging materials.

8.EXPOSURE CONTROLS /PERSONAL PROTECTION

Control Parameters		
ACGIH TLV (2018)	:	10 mg/m ³ (Total) 3 mg/m ³ (Respirable)
Precautionary Measured	:	None required when used as intended in our equipment.

For use other than normal customer operating procedures(such as in bulk toner processing facilities), local exhaust ventilation may be required.

Personal Protective Equipment : None required when used as intended in our equipment.
For use other than normal customer operating procedures(such as in bulk toner processing facilities), protective glove, goggles and respirators may be required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Powder
Color	: Blue
Odor	: Faint Odor
pH	: Not available
Melting Point/freezing point	: Not available
Boiling Point/Initial boiling point and boiling range	: Not available
Flash point	: Not applicable
Auto-ignition temperature	: None
Upper/lower flammability or explosive limits	: Not available
Vapour Pressure	: Not available
Vapour density	: Not available
Relative density	: Not available
Solubility	: Insoluble
Partition coefficient:n-octanol/water	: Not applicable
Decomposition temperature	: Not available

10. STABILITY AND REACTIVITY

Stability and Reactivity	: Stable
Possibility of hazardous reactions	: None
Conditions to avoid	: None
Incompatible materials	: None
Hazardous decomposition products	: No Information

11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on test results of this materials or similar materials.

Acute Toxicity

Swallowed→LD50(rat)	: >2000 mg/kg (practically non-toxic)
Skin→LD50(-)	: Not available
Skin Irritant(rabbit)	: Not an irritant
Serious eye damage/eye irritation - Description(rabbit)	: Not an irritant
Skin or Respiratory sensitization -	: Not a skin sensitizer

Description(guinea-pig)

Mutagenicity	:	Ames Assay: Negative
Carcinogenicity	:	Titanium dioxide is classified as Group 2B by IARC.In animal chronic inhalation study, rats only showed the incidence of lung tumors which is attributed to excessive burden on rat lung clearance mechanism (overloading).It is assumed that a designated use of this product should not cause such excessive burden on lung clearance mechanism.Epidemiological studies provide no clear evidence of elevated risks of lung tumors mortality or morbidity among the workers exposed to TiO ₂ dust. All other ingredients are not classified as “Carcinogens ref.1”.
Reproduction and Development	:	Not classified as “ Reproductive and Development chemicals ^{ref.2} ”
Specific Target Organ Toxicity Single Exposure	:	Not available
Specific Target Organ Toxicity Repeated	:	The results obtained from a Xerox sponsored, Chronic Toner Inhalation Study, demonstrated no lung change in rats for the lowest (1mg/m ³) exposure level (i.e. the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of the animals at the middle (4mg/m ³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m ³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with EPA testing protocol. The test toner was ten times more respirable than commercially available Xerox toner, and would not be functionally suitable for Xerox equipment.* ¹
Aspiration Hazard	:	Not applicable
Other Information	:	None

12.ECOLOGICAL INFORMATION

The toxicity data noted below is based on test results of this materials or similar materials.

Ecotoxicity

Acute Toxicity	Fish 96hr LC50(Oryzias latipes)	:	>500 mg/L	(practically non-toxic)
	Daphnia 48hr EC50(Daphnia magna)	:	>100 mg/L	(practically non-toxic)
	Algae 72hr EC50(Selenastrum capricornutum)	:	>100 mg/L	(practically non-toxic)

Persistence and degradability	:	Not available
Bioaccumulative potential	:	Not available
Mobility in soil	:	Not available
Other adverse effects	:	Not available

13.DISPOSAL CONSIDERATIONS

Dispose off in accordance with federal, state laws and regulations or our Australia's local consumables return program.

14.TRANSPORT INFORMATION

Transport in accordance with national, and local regulations.

UN Hazard Class	:	None
UN Number	:	None
Air Transport		
ICAO-TI/IATA-DGR	:	None
Sea Transport		
IMDG Code	:	None

15.REGULATORY INFORMATION

Ensure this product in compliance with national requirements and ensure conformity to local regulations.

16.OTHER INFORMATION

The above mentioned data correspond to our present state of knowledge and experience, but no warranty is made. Users should consider these data only as a supplement to other information and must make independent determination of the suitability and completeness of information from all sources to ensure proper use and disposal of the materials and safety and health of employees and customers.

CAS Registry Number(R) is a Registered Trademark of the American Chemical Society.

References

- 1 : •IARC Monographs on the Evaluation Carcinogenic Risks to Humans (WHO.International Agency for Research on Cancer)
•National Toxicology Program(NTP) Report on Carcinogens (NTP)
•TLVs and BEIs (American Conference of Governmental Industrial Hygienists)
•REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 ANNEX VI on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
•Journal of Occupational Health(Japan Society for Occupational Health)
- 2 : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- 3 : • Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats
H.Muhle et.al Fundamental and Applied Toxicology 17.280-299(1991)
• Lung Clearance and Retention of Toner, Utilizing a Tracer Technique, during Chronic Inhalation Exposure in Rats
B.Bellmann Fundamental and Applied Toxicology 17.300-313(1991)

DocuPrint CP405d,DocuPrint CM405dfToner(Cyan) FUJIFILM Business Innovation Corp. TN182GA09

Date of issue : 2022/03/23

Revision History : 1