Safety Data Sheet

SOFT CARE LUX 2 in 1

Revision: 2018-03-16 **Version:** 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier
Product name: SOFT CARE LUX 2 in 1
Lux is a registered trade mark and is used under licence of Unilever

1.2 Recommended use and restrictions on use
Identified uses:
Cosmetic product
Restrictions of use:
Uses other than those identified are not recommended

1.3 Details of the supplier
Diversey Australia Pty. Limited
29 Chifley St, Smithfield, NSW, 2164, Australia
Telephone: 1800 647 779 (toll free)
Fax: (02) 9725 5767
Email: aucustserv@diversey.com
Website: www.diversey.com/

1.4 Emergency telephone number
Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Serious eye damage, Category 1

2.2 Label elements
This product is exempted from labelling requirements.

2.3 Other hazards
No other hazards known.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Weight percent
alcohols, C12-14, ethoxylated, sulphates, sodium salts	68891-38-3	500-234-8	3-10
glycerol	56-81-5	200-289-5	3-10
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	-	931-296-8	3-10

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.
Skin contact: If skin irritation occurs: Get medical advice or attention.
Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.
Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities: Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.
Skin contact: No known effects or symptoms in normal use.
Eye contact: No known effects or symptoms in normal use.
Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed
No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures

5.1 Extinguishing media
Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture
No special hazards known.

5.3 Advice for firefighters
As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code
None allocated

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
No special measures required.

6.2 Environmental precautions
Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up
Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections
For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Measures to prevent fire and explosions:
No special precautions required.

Measures required to protect the environment:
For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:
Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless adviced by Diversey.

7.2 Conditions for safe storage, including any incompatibilities
Store in accordance with local and national regulations. Keep only in original packaging.
For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)
No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters
Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
glycerol	10 mg/m³		

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.
If available, please refer to the product information sheet for application and handling instructions.
Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment
Eye / face protection: No special requirements under normal use conditions.
Hand protection: Not applicable.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Method / remark
Physical State: Liquid	
Colour: Opaque, White	
Odour: Slightly perfumed	
Odour threshold: Not applicable	
pH: ≈ 4.9 (neat)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flash point (°C): Not applicable.	
Sustained combustion: Not applicable. *(UN Manual of Tests and Criteria, section 32, L.2)*	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Upper/lower flammability limit (%): Not determined	
Vapour pressure: Not determined	
Vapour density: Not determined	Not relevant to classification of this product
Relative density: ≈ 1.04 (20 °C)	OECD 109 (EU A.3)
Solubility in / Miscibility with Water: Fully miscible	
Partition coefficient: n-octanol/water No information available. Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3	
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
Viscosity: ≈ 4000 mPa.s (20 °C)	
Explosive properties: Not explosive.	
Oxidising properties: Not oxidising	

9.2 Other information
Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity
No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability
Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions
No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid
None known under normal storage and use conditions.

10.5 Incompatible materials
None known under normal use conditions.

10.6 Hazardous decomposition products
None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

No data is available on the mixture.

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LD_{50}	> 5000	Rat	OECD 401 (EU B.1)	
glycerol	LD_{50}	12600	Rat	Method not given	
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	LD_{50}	> 2000	Rat		

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LD_{50}	> 2000	Rat	OECD 402 (EU B.3)	
glycerol	LD_{50}	> 10000	Rabbit	Method not given	
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			
glycerol		No data available			
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4)	
glycerol	Not irritant		OECD 404 (EU B.4)	
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	Not irritant			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Severe damage	Rabbit	OECD 405 (EU B.5)	
glycerol	Not corrosive or irritant		Method not given	
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available			
glycerol	No data available			
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
glycerol	Not sensitising	Human	Human repeated patch test	
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	Not sensitising			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available			
glycerol	No data available			

1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476	No evidence for mutagenicity, negative test results	OECD 475 (EU B.11)
glycerol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Ingredient(s)	Effect
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No evidence for carcinogenicity, weight-of-evidence
glycerol	No evidence for carcinogenicity, negative test results
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOAEL	Developmental toxicity	> 1000	Rat	OECD 414 (EU B.31), oral		No evidence for reproductive toxicity
glycerol			No data available				Not toxic for reproduction
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOAEL	> 225		OECD 408 (EU B.26)	90	
glycerol		No data available				
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available				
glycerol		No data available				
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available				
glycerol		No data available				
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alcohols, C12-14, ethoxylated, sulphates,			No data available					

sodium salts								
glycerol			No data available					
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available
glycerol	No data available
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available
glycerol	No data available
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	No data available

Aspiration hazard
Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms
Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LC_{50}	7.1	*Fish*	OECD 203 (EU C.1)	96
glycerol	LC_{50}	54000	*Oncorhynchus mykiss*	Method not given	96
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	LC_{50}	1.11		OECD 203, semi-static	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC_{50}	7.4	*Daphnia magna Straus*	OECD 202 (EU C.2)	48
glycerol	EC_{50}	> 10000	*Daphnia magna Straus*	Method not given	24
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	EC_{50}	6.5	*Daphnia magna Straus*		

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC_{50}	10 - 100	*Pseudokirchneriella subcapitata*	OECD 201 (EU C.3)	72
glycerol		No data available			-
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		1.5	*Desmodesmus subspicatus*	DIN 38412, Part 9	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-
glycerol		No data available			-
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even		No data			

numbered) acyl derivs., hydroxides, inner salts		available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC_0	> 100		DIN 38412, Part 27	
glycerol	EC_{50}	> 10000	*Pseudomonas putida*	Method not given	16 hour(s)
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	EC_0	> 3000		Non guideline test	

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOEC	1 - 10	*Not specified*	OECD 203	45 day(s)	
glycerol		No data available				
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOEC	0.27	*Daphnia sp.*	OECD 211	21 day(s)	
glycerol		No data available				
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	
glycerol		No data available			-	
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	
glycerol		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	
glycerol		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	
glycerol		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	

glycerol		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			-	
glycerol		No data available			-	

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT_{50}	Method	Evaluation
alcohols, C12-14, ethoxylated, sulphates, sodium salts		CO_2 production	> 60 % in 28 day(s)	Method not given	Readily biodegradable
glycerol			60% in 28 day(s)	Method not given	Readily biodegradable
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts			> 80 % in 28 day(s)	Method not given	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alcohols, C12-14, ethoxylated, sulphates, sodium salts	0.3	Method not given	No bioaccumulation expected	
glycerol	-1.76	Method not given	No bioaccumulation expected	
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alcohols, C12-14, ethoxylated, sulphates, sodium salts	< 3		Method not given	No bioaccumulation expected	
glycerol	No data available				
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available				
glycerol	No data available				Potential for mobility in soil, soluble in water
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:	The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.
Empty packaging	
Recommendation:	Dispose of observing national or local regulations.
Suitable cleaning agents:	Water, if necessary with cleaning agent.

SECTION 14: Transport information

ADG, IMO/IMDG, ICAO/IATA

14.1 UN number: Non-dangerous goods
14.2 UN proper shipping name: Non-dangerous goods
14.3 Transport hazard class(es): Non-dangerous goods
14.4 Packing group: Non-dangerous goods
14.5 Environmental hazards: Non-dangerous goods
14.6 Special precautions for user: Non-dangerous goods
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

Other relevant information:
Hazchem code: None allocated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Poison schedule	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classification	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Inventory listing(s)	AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are exempt.

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS31000817 **Version:** 01.0 **Revision:** 2018-03-16

Additional information:
Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms:
- DNEL - Derived No Effect Limit
- AUH - GHS Specific hazard statement
- PNEC - Predicted No Effect Concentration

• ATE - Acute Toxicity Estimate
• LD50 - Lethal Dose, 50% / Median Lethal dose
• LC50 - Lethal Concentration, 50% / Median Lethal Concentration
• EC50 - effective concentration, 50%
• NOEL - No observed effect level
• NOAEL - No observed adverse effect level
• STOT-RE - Specific target organ toxicity (repeated exposure)
• STOT-SE - Specific target organ toxicity (single exposure)
• EC No. - European Community Number
• OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet