

# OVERLIGHT II

OVERLIGHT II is the next generation of OTG (over the glasses).

With side, upper and lower protection they guarantee maximum safety for all, including wearers of prescription glasses.



1680501 • Clear Lens



1680502 • Smoke Lens



33 g

- + LIGHT WEIGHT OVER SPECTACLE FRAME**
- + SUITABLE FOR MOST MODERN PRESCRIPTION FRAMES**
- + SIDE, UPPER AND LOWER PROTECTION**
- + ANTI-FOG/ANTI SCRATCH COATING**

**bollé**  
SAFETY

# OVERLIGHT II

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>OVERLIGHT II</b>	 Clear	1680501	IO	AS/NZS 1337.1.2010	Anti-scratch/anti-fog
	 Smoke	1680502	I3	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog

## LENS MARKING

- I. The letter 'I' signifies 'Medium Impact' approval.
- O. The letter 'O' marking signifies that the product has been approved for the use both outdoors and indoors and the terminology used by Australian standards is 'outdoor un-tinted'. This marking appears on all clear, amber and contrast lenses

## OCULAR LENS CATEGORY:

- O. Range of luminous transmittance 80-100% (clear).
- 3. Range of luminous transmittance 8 -18% (smoke).

## APPLICATIONS

- Assembly and production work
- Process work
- Emergency response
- Laboratory
- Dental

## MAIN MARKETS

- Manufacturing
- Petrochemical
- Construction
- Government
- Mining
- Medical and dental
- Food industry

## LENSES

- 2mm polycarbonate
- 4 base curve
- 'ALS' anti-fog/anti-scratch coating on both sides of Clear lens
- 100% UV 385 – Clear
- 100% UV 400 – Smoke

## CLEANING AND STORAGE

**CLEANING :** Bollé Safety recommends only using our **CLEAN** Lens cleaning system.

**MAINTENANCE:** Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

**STORAGE:** Store between 5 and 40 °, humidity <90%.

## CHARACTERISTICS

LENSES	PC - 2,4 mm - Curve 4
FRAME	PC
TEMPLE	PC
STRAP	Non applicable
FOAM	Non applicable
SPARE LENSES	No

## FRAME MARKING

**AS/NZS 1337.1.2010 :** Tested and approved to AS/NZS 1337.1.2010 for medium impact protection. Resists a 6mm at 45 m/s.

## ASIA/PACIFIC HEADQUARTERS :

Bollé Australia Pty Ltd  
32-40 Fairchild Street  
Heatherton VIC 3202  
T: 1300 138 098  
E: safety@bolle.com.au

## NEW ZEALAND:

Bollé New Zealand Limited  
Unit 5, 114 Sawyers Arms Road  
Papanui, Christchurch 8052  
T: 03 3751400  
E: bolle@bolle.co.nz

[bollesafety.com.au](http://bollesafety.com.au)

**bolle**  
SAFETY